

Welcome..

KLUGMANN provides extensive and inimitable product range covers all kind of the modern kitchen appliances. As a premium brand, KLUGMANN positions and ranks herself in the high segment of the world market, since all the appliances are premium European manufacturing oriented. Find out how we combine the simplicity and the ground-breaking technology with the high performance and functionality.

KLUGMANN as one of the leading promoters of domestic appliances is combining advanced technology with exclusive, distinctive design and first-rate performance. With its innovative, safe, stylish and environmentally friendly products KLUGMANN aims to become the most innovative, design-minded creator of home appliances in the world.

INSPIRED
By You ..



It's Not About
Selling Appliances
rather it's about culture
and philosophy.

We think about our customers, and see with their eyes how they overlook and run their daily life and we encourage them to enjoy their domestic time with bringing fun and delight to the kitchen!

Our Terminology..

We boost domestic bliss

It's not about selling appliances; rather it's about culture and philosophy. We think about our customers, and see with their eyes how they overlook and run their daily life and we encourage them to enjoy their domestic time with bringing fun and delight to the kitchen!

Inspired by you

We at KLUGMANN have a story worth telling, since we keep our eyes on the daily life of our customers; we watch closely how they spend the time at the office, with the friends and at the home with the family.

What is exciting is, KLUGMANN dedicates all the technology we have to make your day runs very enjoyable, very easy and simple like the nature, no more complications, no more radiation. We develop the safe technology for you and your family!

Cooking is culture...
Food is tradition

We adopt in KLUGMANN a slogan, "Enjoy your homemade food" we help the people to discover the meaning of family and encourage them to turn to their kitchen to enjoy the art of cooking and the smell of the healthy food they can make easier when using our appliances.

Do you remember the first place you eat the Ravioli or the Neapolitan Pizza, even not, Pizza means Italy and Ravioli is a traditional in the Italian cuisine and reflects the Italian culture and smell. Chow Mein brings to mind the Chinese food where the rice is served with most dishes and meals in the daily life of the Chinese. Who doesn't know the German Bratwurst or the Fresh Asparagus or Apple Pancakes or the German bakeries where the bread is part of the German history and culture! In France, a country of the Baguette (French bread) or the Union Soup, the Roast Beef and Yorkshire Pudding is the national dish in England. The Tandoori Chicken in India, Molokhia in Egypt, Katsudon in Japan, Borscht in Russia, Shawarma in UAE and some other Arab countries and the Jamón Ibérico In Spain.

PRODUCT RANGE



KLUGMANN has the most extensive and inimitable product range covers all kind of the kitchen appliances. As a premium brand, KLUGMANN positioned and ranked itself in the high segment of the world market, since all the appliances are the premium European manufacturing oriented, and our service rated as the "Premier" everywhere we do serve our customers.

KLUGMANN is a German specialist in the realm of the kitchen appliances, since we have a resourceful and very extensive history and experience. We create constantly our state-of-the-art innovations, novelties and diverse brilliant solutions through our well experienced R&D team who dedicated all the time in, how to deliver our customers not only the innovative Ideas but the smartand safe solutions.

About us	1
Ovens	2
NEW KO Design	3
NEW Drive your oven	4
Steam oven	5
Microwave	6
Coffee maker	7
Cooktop	8
Hood	9
Dishwasher	10
Washing machine	11
Refrigerators	12
Features & Functions	13



Inimitable product range & kitchen solutions

KLUGMANN offers one of the most extensive and outstanding kitchen appliances range on the market, which combines to integration of the top notch materials, diversified features and different cooking functions combined with designs where the elegance and simple forms make all the difference in your kitchen.

Withstand the test of time

Here at KLUGMANN, we know that by time your kitchen getting to be extinguished, which is why we pay attention to the details so that our ovens always look like the first time of installation. Our anti-fingerprint, the Nano anti-finger print coating and enamel treatments ensure your oven maintains its youthful appearance over the years.

Core Value

- We are dependable

That's what really matters that we keep strictly our commitments..

- We are innovators

We do work to make the difference.

- A trustworthy partner

Reliable partner.. where we say we would be and we are prompt..

- We are aware

Our team is trumps talent, we working 24/7 since we are spread out from the west to the east.

Techno Design

Our interdisciplinary cooperation with the state-of-the-art technology suppliers makes our products responsive to your needs. At KLUGMANN, we believe that design and technology function best when they serve the daily life of the people. This concept is at the core of our people-driven approach to design and technology. We also carefully research and analyze the marketplace and market trends, observing how technologies and designed products can be put to use most effectively, while advancing design and technology to better fit people's ever-changing lifestyles and needs. From here, we dot the i's and cross the t's to improve the quality of people's lives and help them to enjoy their home.

Special Features



OvenErgy™ A



KLUGMANN ovens have been masterminded so that you can make the most of your dishes with the maximum energy saving. Many of our ovens rated A+ energy efficient, which guarantees the best performance possible per unit of consumed energy.



AeroPure

KLUGMANN smart purifying Cooker Hood: since the "AeroPure™" Technology is the system that allows you to breathe fresh air in the kitchen. An application that changes drastically the concept of cooker-hood, read more under our Cooker Hood page.



Super Silent

Our commitment is, to bring a low-noise technology to the markets, saving the environment from the noise pollution and disturbance, so our appliances outfitted with the as much as low dbl level, enjoy quieter kitchen and surrounding with your over silent products from KLUGMANN.



Smart Oven

We bring you a story of the smart Oven, the SCS oven. Why we struggle to make a "smart Oven" with SCS, because time and temperature control not only saves Time, Work, Worry, and Fuel, but actually saves Food Values, Flavors, and Food Losses too.


Smart Cooking System (SCS)

This is true automatic cooking where all you have to do is choose the dish from the available pre-sets, place the food on the suggested shelf level and press start. The oven does all the rest of the hard work for you and sets all cooking parameters, so all you do is set, and forget until cooking has ended.



How **SCS** works ?

- There are two separate intelligent sensors inside the cavity of the oven. They assess the weight and humidity of the food, and then use the available functions in an alternate manner to cook the specified dish with the best possible results.





 Wipe-clean
Enameled Ovens

Corrosion, abrasion, heat resistance and overheating protection. Affordable, Simple to Use, Simple to Maintain, Reliable Most people have heard of enamel liners which are the standard in cookers and ovens and need to be manually cleaned. The tiny bumps in the (easy clean enamel) surface are a lot closer together and a lot less pronounced than found in standard enamel, preventing grease and cooking debris from penetrating the liner so deeply.



 Aqualystic ovens

Easy-to-clean with just a glass of water
At KLUGMANN you find the most ecological oven cleaning technology on the market. AQUACLEAN system enables you to clean your oven in only 24 minutes using just a glass of water and with no extra effort.



 Pyrolytic ovens

A pyrolytic oven is an oven that can clean itself. Using super high temperatures of 500°C, a pyrolytic oven turns food residue and grime into ash which can then be easily wiped clean using a damp cloth. No harsh chemicals or scrubbing required! Plus, did you know that the chemicals used to clean the inside of a regular oven can potentially contaminate food? Therefore choosing a pyrolytic oven for your kitchen can offer not only convenience but also health and safety benefits.



 Catalytic ovens

This type of coating acts as a catalyst for the burning of foodstuff at regular cooking temperatures. Instead of using a cleaning cycle, ovens with this coating continually burn off matter through normal use. Catalytic coatings are usually a grey to black in color sometimes with white specs, the texture resembling a sand paper like roughness, the cavity of the oven is often part coated with the catalyst coating other kinds have removable liners or liners that are fixed in position by screws.
Cuts down on Cleaning, Superior Build quality, Multi Functional
Why not get someone in to give your oven a clean? We don't use high amounts of electricity, our products are eco-friendly and fume free and we even clean up after ourselves. Now doesn't that sound better?



 InsulFront Oven
& Reflective pane

The Multi-layered and the reflective glass panes door insulate the oven door and ensure a low temperature on the outside.

 CoolSys™ Oven

The control device of the automatic cooling system will switch on the cooling fan when the cavity temperature will reach to 65°C or more.
The overheating protection system will cut off the power supply automatically when the temperature reached 85°C or above. This keeps the user and handle areas cool to touch.



 FlixiShelf and adjustable
oven inside racks

You can easily change and re-setup your oven to accommodate different sized dishes and pans. You can move the racks up and down to match the cooking function and the dish you pack or create four main levels for best results.

Nano treated coated
Stainless steel finish

With such first-rate stainless steel and the anti fingerprint coating, enjoy a long lasting shiny and cleaned appliances.





 TemProbe

It precisely measures the temperature inside the food. The oven automatically switches off and gives a sound signal once the set temperature is reached.



 SensiAct™

The intelligent new easy-to-use touch screen and high definition Interactive LCD colored display allow the user to select many automatic programs and customize several favorite recipes. All the information you need at your fingertips, with this large LCD touch-control display which shows the time, cooking mode and temperature.



 ComfyClose™


Feel how softly and gently the oven door close and open.



 **XXL** oven capacity

More capacity for versatile use, our up to 67L ovens enables you cook your diversified dishes easily.



 Dual fan core single Ovens!

One of the most brilliant ideas we bring to our customers, the dual fan core single ovens. It is really amazing, an electric multifunction oven with two turbo fans inside. This gives you the ability to divide the ovens into two actual separate parts and in one you can grill your favor slice of meat and baking in the lower part your favor cheese cake, without any exchange of smells or flavors. Imagine that, you can use the upper part of the oven only, which means you will save more energy, just set the separator and keep all heating in the part you cook in!

 Easy removable and accessible oven glass door

Easily removable oven doors feature no visible screw holes, rubber seals or notches, which mean that they can be quickly and easily cleaned by the user, no need for a technician to cleanse your oven door, make it yourself!



 Oven Ergy™ Energy Rating A

Best baking results with low energy consumption, our high-performing technology saves energy.



KO610ICX ^{new}

INSPIRERANGE

60cm 10 function Aqualystic smart Oven



- 10 different cooking Functions
- SensiAct™ smart use control
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass.
- Aqualystic Self-Cleaning system
- ComfyClose™ oven door
- Boost (Rapid Pre-Heating)
- 20 user programs and 37 baking programs.
- Easy removable and accessible oven glass door
- Child lock
- TemProbe™ inside the food

- Cooking delay or stop
- FlixiShelf™: telescopic and adjustable
- oven inside racks
- CoolSys™ Oven, tangential cooling fan
- XXL Oven Capacity: 72 L
- Energy efficiency: A
- 3 Roasting trays
- 2 non Stick deep 1 tray
- 1 wire roasting tray



KO612TCW ^{new}

INSPIRERANGE

60cm 12 function Aqualystic smart Oven



- 12 different cooking Functions
- SensiAct™ smart use control panel.
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass.
- Aqualystic Self-Cleaning system with Easy clean enamel interior
- ComfyClose™ oven door
- 20 user programs
- 37 baking programs
- Multimedia cookbook (51 receipts)
- Digital slideshow
- Boost (Rapid Pre-Heating)
- Child lock

- TemProbe™ inside the food
- FlixiShelf™: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan.
- TemProbe inside the food
- Easy removable and accessible oven glass door
- XXL Oven Capacity: 66 L
- Energy efficiency: A
- 3 Roasting trays



KO611ICB ^{new}

INSPIRERANGE

Built-in oven with 11 oven functions



- Aqualytic cleaning system
- Easy clean enamel interior
- Soft close hinges
- Telescopic guides with Stop function
- 37 baking programs
- Removable side racks
- Multifunction
- 11 oven functions
- Number of roasting trays : 2

- Wire shelf
- Reflective pane
- Quiet baking sheets
- Double halogen oven lighting



KO611ITCX ^{new}

PRORANGE

Multifunctional-built in oven, 60 cm, finish: stainless steel / black glass with 11 functions and full touch control



- Temperature range: 40 - 250° C
- Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Full-touch-control
- Programmable timer (beginning, duration and end of cooking time)
- Timer
- Easy to clean cavity
- Side wire racks
- Telescopic shelf (1 set)
- 64 Liter Inner Cavity
- Triple glazed with inner pane ventilation

- All panes can easily be disassembled and cleaned and taken off without extra tools
- Oven door can be taken off
- 1 cooking grid
- 1 baking tray
- 1 extra deep dripping pan (60 mm tief)
- Device W/H/D: 596/594/566 mm
- Mounting dimensions W/H/D: 560/585/550 mm
- Connection: 3,4 kW, 230 V/50 Hz/16 A
- Energy efficiency class: A
- Energy consumption conventional heating: 0,85 kWh
- Energy consumption circulating air: 0,83 kWh
- Oven capacity: 64 Liter



KO610TCB ^{new}

PRORANGE

60cm 10 function black oven with large display



- 10 different cooking Functions
- Aqualytic cleaning system
- Easy clean enamel interior
- Soft close hinges
- Telescopic guides with Stop function
- Removable side racks
- Multifunction

- Number of roasting trays: 2
- Wire shelf
- Reflective pane
- Quiet baking sheets



KO6072BGL ^{new}

PRORANGE

60cm 10 function black oven with large display



- 10 different cooking Functions
- 72 L capacity of inner cavity.
- Aqualytic cleaning system
- Easy clean enamel interior
- Soft close hinges
- Telescopic guides with Stop function
- Removable side racks
- Multifunction

- Number of roasting trays: 2
- Wire shelf
- Reflective pane
- Quiet baking sheets

MasterRange



KO611W ^{new}

MASTERRANGE

Multifunctional-built in oven, 60 cm, finish: Full white glass, touch control with 11 functions



- Temperature range: 30 - 280° C
- Single push button
- Full touch control panel
- Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Oven time display
- Interior: Easy to clean cavity
- Side wire racks
- 64 Liter Inner Cavity
- Triple glazed with inner pane ventilation

- Oven door can be taken off
- 1 cooking grid
- 1 baking tray
- 1 extra deep dripping pan (60 mm tief)
- Device W/H/D: 596/594/566 mm
- Mounting dimensions W/H/D: 560/585/550 mm
- Connection: 3,1 kW, 230 V/50 Hz/16 A
- Energy efficiency class: A
- Energy consumption Top Heater: 0,9 kWh
- Energy consumption Bottom Heater: 1.1 kWh
- Energy consumption circulating air: 2.0 kWh



KO6080TCX ^{new}

MASTERRANGE

Multifunctional-built in oven, 60 cm, finish: Full black glass / Stainless steel decor with 8 functions



- Temperature range: 30 - 280° C
- Single push button
- Cross air flow and cooling of housing
- Operation indicator light
- Oven temperature display
- Oven time display
- Interior: Easy to clean cavity
- Side wire racks
- 64 Liter Inner Cavity
- Oven door: Triple glazed with inner pane ventilation
- Oven door can be taken off

- 1 cooking grid
- 1 baking tray
- 1 extra deep dripping pan (60 mm tief)
- Device W/H/D: 596/594/566 mm
- Mounting dimensions W/H/D: 560/585/550 mm
- Connection: 3,1 kW, 230 V/50 Hz/16 A
- Energy efficiency class: A
- Energy consumption Top Heater: 0,9 kWh
- Energy consumption Bottom Heater: 1.1 kWh
- Energy consumption circulating air: 2.0 kWh

CompactRange



KCO43ICX ^{new}

COMPACTRANGE

45cm 8 function, 43L Compact Oven with Sensi-Act Control



- 8 different cooking Functions
- SensiAct™ use control with TFT display
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass.
- Stainless Steel inner cavity.
- ComfyClose™ oven door

- 4 Shelf position .
- CoolSys™ Oven, tangential cooling fan.
- Oven Capacity: 43 L
- Energy efficiency: A+
- 1 Roasting racks and deep stainless steel tray

Technical Information :

- Oven Capacity: 43 L
- Energy efficiency: A+

- Total connected load : 2650 W
- Max Temperature : 260°C



KO45TCX ^{new}

COMPACTRANGE

45cm 12 function, 35L Compact Oven with Sensi- Act Control



- Energy efficiency class A
- 12 functions
- Customizable pre-set recipes
- Pizza function
- 35 liter stainless steel cavity with useful volume
- Finishing: white tempered glass, steel with handle in satin stainless steel
- Complementary electronic program with

- white touch control display
- Cooling fan
- Child lock
- Internal removable glass for easy cleaning
- Internal light

Gas Ovens



KGO900GGFX ^{new}

GAZRANGE

90cm Fan Assisted Gas Gas Oven
Gas Oven with 3 Functions Gas oven + Gas grill + Gas oven & Fan



Standard Features :

- Standard mechanical knobs
- Easy to remove and clean Low-E inner glass
- Double glazed oven door
- 91 Litre-easy to clean cavity
- 1 Flat Tray + 1 Deep Tray + 1 Grid
- FFD (Gas Safety)
- Gas grill : 1.2 KW
- Gas oven : 2.5 KW

Optional Features :

- Side wire racks
- Telescopic shelf (1 set)
- Rotisserie
- Additional tray (deep or flat)
- Glass tray
- Mirror type door glass
- Catalytic Panels (Sides and Rear)
- Triple glazed oven door




KGO600GGFX ^{new}

GAZRANGE

60cm BUILT IN FAN ASSISTED Gas OVEN
with 3 Functions Electric grill + Fan

- Stainless steel control panel
- Standard mechanical knobs
- Painted handle
- Glass oven door
- Easy to remove and clean Low-E inner glass
- Double glazed oven door
- 64 Litre-easy to clean cavity
- 1 Flat Tray + 1 Deep Tray + 1 Grid
- FFD (Gas Safety)
- Gas grill : 1.2 KW

- Gas oven : 2.5 KW
- Side wire racks
- Telescopic shelf (1 set)
- Rotisserie
- Additional tray (deep or flat)
- Glass tray
- Mirror type door glass
- Catalytic Panels (Sides and Rear)
- Triple glazed oven door



CombiPlus™

For more healthy food or the healthiest food ever, the Steam Oven in this regard is indispensable, and what is amazing at KLUGMANN Steam range is the mixing of the Steam with the convection and the grill function, so you can make all easier and tastier! Some of our steam ovens can also reheat and disinfect, since many people reheat the served food they lose the moisture and texture of their food but with our steam ovens you will keep the original look and taste of the fresh served food!

Our 1.4L water tank will be sufficient for the entire cooking function, so no need for pre-plumbing!



Main Features

- The steam cooking is up to 130c and the professional cooking up to 230c
- Ready menu has more than 20 recipes
- Functionality: Up to 11 functions
- Capacity: Up to 38 liters



What are the benefits of Steam Cooking?

Keep

the structure of the food which is prepared




- Steam cooking puts away your worries that the vegetables you are preparing will turn into a mash or puree. Many types of vegetables are quickly cooked and lose its shape.
- Unlike other ways of preparing food, steam cooking does not destroy the structure of the food prepared or its original taste.

Retains

taste, color and juice of food

Steam cooking retains the original color, taste, the juice and the freshness of food and you can add spices in the water used for steam cooking and thus give the food special taste.



Doesn't Require Oil..

- In spite of fruits and vegetables, grains and legumes can also be cooked by steam cooking. Certainly, if we want to, we can add a several tablespoons of olive or linseed oil before serving the meal cooked by steaming.

Retains

vitamins and minerals

Mineral content



Vitamin content



- During the steam cooking the loss of vitamins and minerals is minimal.
- Take for example broccoli, when steamed, it retains 81% vitamin C, and when cooked in water, only 30%. When steamed, broccoli loses only 11% flavonoids, when cooked in water - 66%, and in microwave it loses 97%.
Therefore, if you want to eat healthy food, rich in natural vitamins and minerals, steam it or eat it raw.



Cook almost everything

Steam cooking is not used for cooking vegetables only, as we usually think. Almost everything can be cooked by steam cooking.

In spite of fruits and vegetables, grains and legumes can also be cooked by steam cooking.

Energy Saves

By steam cooking we can prepare food on several levels at the same time, saving energy. Over-cooking and burning are avoided

Steam Oven



KSO6612.5ICX^{new}

Steam Oven, combined, 12 combined functions



Features :

- 12 different cooking Functions
- SensiAct™ smart use control panel.
- Insulfront™ Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass.
- Aqualytic Self-Cleaning system with Easy clean enamel interior
- ComfyClose™ oven door
- digital slide show
- 37 baking programs
- 16 Steam Program
- Multimedia cookbook (51 receipts)
- Digital slideshow

- Boost (Rapid Pre-Heating)
- Child lock
- TemProbe™ inside the food
- FlixShelf: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan.
- TemProbe inside the food
- Easy removable and accessible oven glass door
- XL Oven Capacity: 66 L
- Energy efficiency: A
- 3 Roasting trays



KSO6612ICX ^{new}

Steam Oven, combined, 12 combined



- Features :
- 12 different cooking Functions
 - SensiAct™ smart use control
 - Insulfront Multilayered tempered glass: 3 glazed oven door and reflective panes inner glass.
 - Aqualytic Self-Cleaning system with Easy clean enamel interior
 - ComfyClose™ oven door
 - 34 pre-set recipes
 - Boost (Rapid Pre-Heating)

- Child lock
- TemProbe inside the food
- FlixShelf: telescopic and adjustable oven inside racks
- CoolSys™ Oven, tangential cooling fan.
- TemProbe™ inside the food
- Easy removable and accessible oven glass door
- XL Oven Capacity: 66 L
- Energy efficiency: A
- 3 Roasting trays



KSO38ICX ^{new}


45cm Compact Steam Oven With Grill and SensiAct™ smart use control



- Features :
- LED fully electronic display.
 - Descale sitting.
 - Detecting failures system.
 - No water warning.
 - Door inter lock (Child Safty)
 - Automatic Cut-off timer.
 - 4 wire shelf position.
 - Water tank subassembly.
 - Pump.
 - Stainless Steel cavity.

- Functions :
- Steaming.
 - Meat Steaming.
 - Fish cooking.
 - Vegetables.
 - Reheating & Disinfection.
 - Grilling.
 - Pizza & Defrost.





Microwave Oven




KMO50TCX ^{new}

45 cm Built-in Oven with Microwave

- 45 cm Built-in Oven with Microwave
- Microwave capacity XL 50L
- Max power 3150W
- LED Touch Control
- Safety switch off
- Triple Glazed glass door
- Easy clean
- Fast preheating

- Electronic oven clock timer
- 5 shelf positions
- 14 combined functions.
- Conventional (Top + Bottom), Radiant heat, Double grill (Top + Radiant), Double grill + fan, Bottom heat/Bake, Conventional+fan, Fan, Pizza, Keep Warm, Drying, Defrost, Plate warm, Preheating, ECO, Dough Proving




KMO32X ^{new}

MicrowaveOven, combined, 32 L

- Features :
- Microwave distribution:turntable
 - Interior light
 - Auto menu
 - Defrost by weight
 - Defrost by time
 - Electronic clock
 - +30 sec
 - Speed cook
 - Cooking end signal

- Delay protection
- Permatron protection
- Child safety lock
- Cavity material: stainless steel
- Volume(litres):25
- Microwave output(W):900
- Fuse rating(A):10
- Voltage and frequency code:E/F
- Included accessories:



KMO25.5X ^{new}

MicrowaveOven, combined, 25 L



- Features :
- Microwave distribution:turntable
 - Interior light
 - Ready menu
 - Defrost by weight
 - Defrost by time
 - Electronic clock
 - +30 sec
 - Speed cook
 - Cooking end signal
 - Delay protection
 - Permatron protection
 - Voltage and frequency code:E/F
 - Included accessories:1x glass tray

- 1x turntable ring
- 1x assembly grill rack
- Dimensions and loading quantity:
- Turntable diameter (mm):315
- Cavity dimensions(HxWxD)(mm):208x330x369
- Built-in dimensions(HxWxD)(mm):380x560x500
- Child safety lock
- Cavity material: stainless steel
- Volume(litres): 30L
- Microwave output(W):900



KMO25BX ^{new}

25L combined Microwave Oven

- Features :
- Microwave Distribution: Turntable
 - Interior Light
 - Auto Menu
 - Defrost By Weight
 - Defrost By Time
 - Electronic Clock
 - +30 Sec
 - Speed Cook

- Functionality :
- Control System Electronic Control
 - Timer 90 Min Electronic
 - Grill 1500 W
 - Microwave 1000 W

- Cooking End Signal
- Delay Protection
- Child Safety Lock
- Cavity Material: Stainless Steel
- Volume (Liters): 25
- Microwave Output (W):900
- Fuse Rating (A):10
- Voltage And Frequency Code: E/F
- Included Accessories:

- 5 Power Levels
- Time Defrosting
- Multi-Stage Heating
- Children Safety Lock
- Stainless Steel Interior

- 1x Glass Tray
- 1x Turntable Ring
- 1x Assembly Grill Rack
- Dimensions And Loading Quantity:
- Turntable Diameter (Mm):315
- Product Size (W*D*H Mm) 594*403*382
- Gross Weight (Kg):21
- Net Weight (Kg):18
- 38mm x 56mm x 50mm x 25l

- Turntable Tray And Grate
- Housing Cooling
- Turntable 32 Cm Diameter



KMO25X ^{new}

Microwave Oven, combined, 25 L.



Features :

- Microwave Distribution: turntable
- Interior Light
- Ready Menu
- Defrost By Weight
- Defrost By Time
- Electronic Clock
- +30 Sec
- Speed Cook
- Cooking End Signal
- Delay Protection

Functionality :

- Control System Electronic Control
- Timer 90 Min Electronic
- Grill 1500 W
- Microwave 1000 W

- Permatron Protection
- Child Safety Lock
- Cavity Material: Stainless Steel
- Volume (Litres): 25
- Microwave Output (W): 900
- Fuse Rating (A): 10
- Voltage And Frequency Code: e/F
- Included Accessories:
 - 1x Glass Tray
 - 1x Turntable Ring
 - 1x Assembly Grill Rack

- 5 Power Levels
- Time Defrosting
- Multi-Stage Heating
- Children Safety Lock
- Stainless Steel Interior


Dimensions And Loading Quantity:

- Turntable diameter (Mm): 315
- Cavity Dimensions (Hxwx d) • (Mm): 208x330x369
- Built-In Dimensions (Hxwx d) (Mm): 380x560x500
- Packing Size (Hxwx d) (Mm): 466x653x500
- Gross Weight (Kg): 21
- Net Weight (Kg): 18
- 38 mm x 56 mm x 50 mm x 25l

- Turntable Tray And Grate
- Housing Cooling
- Turntable 32 Cm Diameter



Cook
Peacefully



Coffee Maker



KCM45.5X ^{new}

- Features :
- Fully automatic
 - Full touch control
 - Compatible with ground coffee and coffee beans
 - Electronic programmer with LCD display
 - 3 coffee strength settings
 - Hot water and steam
 - One or two cups
 - Integral water tank: 1.8L
 - Integral coffee container: 0.2kg
 - Low coffee warning



- Low water warning
- Steam nozzle
- Removable drip tray
- Adjustable grind setting
- Integrated coffee grinder
- Technical Specification
- Rated power: 1.35kW
- Power supply: 13A
- Pump pressure: 15Bar



KCM45X ^{new}

- Features :
- Fully automatic
 - Full touch control
 - Compatible with ground coffee and coffee beans
 - Electronic programmer with LCD display
 - 3 coffee strength settings
 - Hot water and steam
 - One or two cups
 - Integral water tank: 1.8L
 - Integral coffee container: 0.2kg
 - Low coffee warning

- Low water warning
- Steam nozzle
- Removable drip tray
- Adjustable grind setting
- Integrated coffee grinder
- Technical Specification
- Rated power: 1.35kW
- Power supply: 13A
- Pump pressure: 15Bar





HyperHeat Gas wok burner

With our HyperHeat extra powerful wok burner up to 6.0kw, cook variety of food faster.

Sometimes our hobs come with dual flame and control operation to enable you controlling such hyper speed and intensive dual burner separately.



AntiLeak Protection Gas Cooktop & Auto Re-ignition

The FFD system on each burner will stop the flow of gas if the burner is not lit; for your safety it cuts the connection to the gas line and at the same time turns off the burner.

Some of our cooktop equipped with auto re-ignition system, If the flame accidentally goes out, the cooking surface makes up to three attempts to re-ignite



SensiAct™

Enjoy all the features and functions of the SensiAct in you gas hob, it allows you to control the level of the burner, to set timer and let it automatically switch off, to re-ignite if the burner accidentally stop working, for three times the auto-recovery will attempt to re-ignite, if not, the AntiLeak gas system will do its role.



Cast iron pan stands

Our designed and dependable rigid iron pan stands provides you the professional cooking functions and the smart use of cooktop.



New Generation of Induction



MaxPower™ Zoneless Induction Cooktop

The free zone induction hobs outsmart the regular in enabling you to heat multiple pans anywhere in the zone. The ceramic glass surface is fitted with multiple inductors which allow the pans to be placed where you please. And the best part is, you can actually cook multiple pans at the same uniform temperature or get the Freezone divided into two separate zones



SensiAct™ Sliding Hyperfine technology for superfast result

The free zone induction hobs outsmart the regular in enabling you to heat multiple pans anywhere in the zone. The ceramic glass surface is fitted with multiple inductors which allow the pans to be placed where you please. And the best part is, you can actually cook multiple pans at the same uniform temperature or get the Freezone divided into two separate zones

InduRange



KI905RECZ^{new}

90cm 5 induction zones cooktop, overheating

Features :

- SensiAct™ Front control panel
- Overheating protector
- Residual heat indicator
- ChildLock

- 2200watt zone to 230mm diameter
- 1800watt zone to 200mm diameter
- 1200watt zone to 165mm diameter


Product dimension(mm): 860x520x80



KI9.51BS

90 CM INDUCTION - 1 Bridge - 5 zones.


- 4 induction zones (EGO G5 technology):
- 2 OCTA 2300 [3700] W
- 1 Ø145 mm 1400 [2200] W
- 1 Ø180 mm 1850 [3000] W
- 1 Ø260 mm 2600 [3700] W
- 9 power levels + booster
- Capacitive FLEX touch control
- Total power 7400 W
- 1 bridge function
- Keep warm function /Pause / Recall function / Timer for each zone / Residual Heat Indicator / Child lock safety / Anti overflow device
- Quick heating and return to the selected level Assisted cooking with 3 pre-set temperatures (melting slow cooking / simmering)
- Italian ELECTA Vitroceramic Glass



KI9.5R

90 CM INDUCTION - ROUND Control 5 zones.


- 5 induction zones (EGO Basic 2 technology):
- 2 Ø160 mm 1400 W
- 2 Ø200 mm 2300 [3000] W
- 1 Ø250 mm 2300 [3000] W
- 9 power levels + booster
- Capacitive touch control ROUND
- Total power 7400 W
- Keep warm function + Pause/recall function
- Timer for each zone
- Residual Heat Indicator
- Anti overflow device / Child lock safety
- Italian ELECTA Vitroceramic Glass



KI77.3BST

77 CM INDUCTION - SLIDER Control - 3 Bridge


- 6 induction zones (NEW EGO Basic 4 technology):
- 6 OCTA 2100 [3000] W
- 9 power levels + booster
- NEW capacitive SLIM touch control
- Total power 11100 W with power management up to 1,0 kW
- 3 bridge function
- Keep warm function + Pause/recall function
- Automatic pot detection
- Timer for each zone
- Residual Heat Indicator / Child lock safety
- Anti overflow device
- Italian ELECTA Vitroceramic Glass



KI77.41BST

77 CM INDUCTION - SLIDER Control - 1 Bridge

- 4 induction zones (Copreci G7 technology):
- 3 Ø145 mm 1200 [1600] W
- 1 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- Infrared touch control SLIDER
- Total power 6800 W with power management up to 1,0 kW
- 1 bridge function
- Timer for each zone
- Residual Heat Indicator
- Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass



KI77.4TAN

77 CM INDUCTION - SLIDER Control


- 4 induction zones (Copreci G7 technology):
- 2 Ø145 mm 1200 [1600] W
- 2 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- Infrared touch control SLIDER
- Total power 7200 W with power management up to 1,0 kW
- Pause / Recall function
- Timer for each zone
- Residual Heat Indicator
- Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass



KI6.2BTAN

60 CM INDUCTION - 2 Bridge

- 4 induction zones (NEW EGO Basic 4 technology):
- 4 OCTA 2100 [3000] W
- 9 power levels + booster
- NEW capacitive SLIM touch control
- Total power 7400 W with power management up to 1,0 kW
- 2 bridge function
- Keep warm function + Pause/recall function
- Automatic pot detection
- Timer for each zone
- Residual Heat Indicator / Child lock safety
- Anti overflow device
- Italian ELECTA Vitroceramic Glass



Ki6.1BTAN

60 CM INDUCTION - 1 Bridge

- 4 induction zones (Copreci G7 technology):
- 3 Ø145 mm 1200 [1600] W
- 1 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- Infrared touch control SLIDER
- Total power 6800 W with power management up to 1,0 kW
- 1 bridge function
- Timer for each zone
- Residual Heat Indicator
- Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass




KI6.4TAN

60 CM INDUCTION

- 4 induction zones (Copreci G7 technology):
- 2 Ø145 mm 1200 [1600] W
- 2 Ø210 mm 1600 [2000] W
- 9 power levels + booster
- Infrared touch control STD
- Total power 7200 W with power management up to 1,0 kW
- Timer for each zone
- Residual Heat Indicator
- Anti overflow device
- Child lock safety
- Italian ELECTA Vitroceramic Glass

VitroRange



KVC900

90cm 5 Vitroceramic HiLight zones cooktop.

Features :

- Type of finish : Frameless
- SensiActTM Sliding Front control
- Mechanical Timer
- Elongated central zone
- 9 power levels
- Residual heat indicators
- Automatic safety cut-out

- 2 x HiLight single heating zone (1,8 kW)
- HiLight dual heating zone (0,75/2,2 kW)
- 2 x HiLight single heating zone (1,2 kW)
- HiLight oval heating zone (1,1/2 kW)



KVC900.5VX

90cm 5 Vitroceramic HiLight zones cooktop.

Features :

- SensiAct Touch CControl
- Elongated central zone
- Double HiLight zone
- timer function
- 9 power levels
- Residual heat indicators

- Automatic safety cut-out
- 2 x 1200W (single)
- 1 x 750/2200W (double)
- 1 x1100/2000W (oval)
- 2 x 1800W (single)



KI300


30cm 2 induction zones cooktop

Features :

- Type of finish: cut on edges
- SensiActTM Sliding Front control
- Mechanical Timer
- Safety Child Lock
- Booster function

• Residual heat indicators

- Booster induction heating zone 18,0 cm (1,2/1,4 kW)
- Booster induction heating zone 22,0 cm (2,3/3,0 kW)
- Total Power: 3,7 kW



KI301


30cm 2 induction zones cooktop

Features :

- Type of finish: cut on edges
- SensiActTM Sliding Front control
- Mechanical Timer
- Safety Child Lock
- 9 POWER LEVELS
- Residual heat indicators
- Warming Function
- Automatic Safety Cut-Out

• Pot Detection System

- Induction heating zone (3,0 kW)
- Induction heating zone (1,4 kW)
- Total Power: 4,4 kW




KVC905

90cm 5 Vitroceramic zones cooktop, overheating protection.

Features :

- Type of finish: Frameless
- SensiAct™ Front control
- Elongated central zone
- Double left zone
- Overheating protector
- Residual heat indicator
- ChildLock
- HiLight dual heating zone 200mm Diameter (1,8 kW)
- HiLight single heating zone 230mm Diameter (2,2 kW)
- HiLight oval heating zone 165, 170mm Diameter (1,2/ 2,0 kW)
- 2 x HiLight single heating zone (1,2 kW)

Product dimension(mm): 860x520x80



KVC1400

60cm 5 Highlight Zones Vitroceramic Cooktop

Features :

- Type of finish: Cut on edges
- Mechanical Timer
- SensiAct™ Sliding Front control
- Automatic heating reduction system
- Residual heat indicators
- HiLight single heating zone 18,0 cm (1,8 kW)
- HiLight dual heating zone 12/21 cm (0,75/2,2 kW)
- HiLight single heating zone 14.5 cm (1,2 kW)
- HiLight dual heating zone 12/18 cm (0,8/1,7 kW)
- Total power: 7.4 kW



KVC750

90cm 5 Vetro Ceramic zones cooktop, overheating protection.

Features :

- Type of finish : Cut on edges
- SensiAct™ Front control
- Automatic heating reduction system
- 9 Power Level
- Time steering of cooking process
- Residual heat indicators
- Child Lock
- HiLight single heating zone 18,0 cm (1,8 kW)
- HiLight single heating zone 14.5 cm (1,2 kW)
- HiLight extendable heating zone 17/17 x 26,5 cm (1,4/2,2 kW)
- HiLight triple heating zone 12/17.5/21 cm (0,7/1,5/2,3 kW)
- Total Power: 8,7 kw

Product dimension(mm): 860x520x80



KVC605

60cm 5 Highlight Zones Vitroceramic Cooktop

Features :

- Type of finish: Cut on front edge
- Mechanical Timer
- SensiAct™ Front control
- Automatic heating reduction system
- Residual heat indicators
- HiLight single heating zone 18,0 cm (1,8 kW)
- HiLight dual heating zone 12/21 cm (0,75/2,2 kW)
- HiLight single heating zone 14.5 cm (1,2 kW)
- HiLight extendable heating zone 17/17 x 26,5 cm (1,4/2,2 kW)
- Total power: 7.4 kW

Gas range 90 Cm



KT9000BX2

Among the new models of the KLUGMANN Professional Range, we want to present the 5 burners hob. It is a mix of refined details and technological features. The most relevant

- plusses are:
- Cast iron grid
- Gas detection and stop gas system
- Automatic ignition
- StepFlame - 9 steps
- Power Cord
- Ceramic glass with aluminum knobs panel
- 5 burners
- Heavy duty brass burners equipped
- Front left: Semirapid (1,75 Kw)
- Rear left: Semirapid (1,75 Kw)
- Rear right: Rapid (3,0 Kw)
- Front right: Auxiliary (1 Kw)
- Center: Double Ring DUAL (4,5 Kw)
- Width: 750 mm (900 mm also available)
- Depth: 510 mm



KT9000B1

Type of finish: Vitroceramic K

- Type of finish: Vitroceramic K
- steering: Touch Control
- AntiLeak Gas Protection system
- HyperHeat Gas WOK
- Timer
- 6,4 cm small burner - 1 kw
- 8,4 cm middle burner x2 - 2 kw
- 10,9 cm large burner - 3 kw
- 12,9 cm ultra rapid - 4 kw



KT905.5BGL

90cm Gas vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: Vitroceramic K
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- 6,4 cm small burner - 1 kw
- 8,4 cm middle burner x2 - 2 kw
- 10,9 cm large burner - 3 kw
- 12,9 cm ultra rapid - 4 kw



KT905SBGL

90cm Gas vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional Value

- Type of finish: Vitroceramic K
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:
 - 6,4 cm small burner - 1 kw
 - 8,4 cm middle burner x2 - 2 kw
 - 10,9 cm large burner - 3 kw
 - 12,9 cm ultra rapid - 4 kw



KT90XX

60cm 4 gas burner hob

- Cast Iron Grid
- Gas Detection and stop gas system
- Automatic Ignition
- Power Cord
- 304 St. Steel Grade
- 5 Burners
- Center Front: Double Ring (4 kw)
- Rear Right: Rapid (2,80 Kw)
- Front Right: Auxiliary (1 Kw)
- Center Front: Semirapid (1,4 Kw)
- Center Rear: Semirapid (1,75 Kw)
- Width: 900 mm
- Depth: 510 mm



KT75BGL

90cm Gas vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional Value

- Type of finish: Vitroceramic K
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:
 - 6,4 cm small burner - 1 kw
 - 8,4 cm middle burner x2 - 2 kw
 - 10,9 cm large burner - 3 kw
 - 12,9 cm ultra rapid - 4 kw



KT90SXX

90cm 5 gas burner hob

- Cast Iron Grid
- Gas Detection and stop gas system
- Automatic Ignition
- Power Cord
- 304 St. Steel Grade
- 5 Burners
- Center Left Outside: Double Ring (4 kw)
- Rear Right: Rapid (2,80 Kw)
- Front Right: Auxiliary (1 Kw)
- Center Front: Semirapid (1,4 Kw)
- Center Rear: Semirapid (1,75 Kw)
- Width: 900 mm
- Depth: 510 mm



KT75XX

75cm 5 gas burner hob

- Cast Iron Grid
- Gas Detection and stop gas system
- Automatic Ignition
- Power Cord
- 304 St. Steel Grade
- 5 Burners
- Front Left: Semirapid (1,4 Kw)
- Rear Left: Semirapid (1,75 Kw)
- Rear Right: Rapid (2,80 Kw)
- Front Right: Auxiliary (1 Kw)
- Center: Double Ring (4 Kw)
- Width: 700 mm
- Depth: 510 mm



KT905XX

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:
 - 6,4 cm small burner - 1 kw
 - 8,4 cm middle burner x2 - 2 kw
 - 10,9 cm large burner - 3 kw
 - 12,9 cm ultra rapid - 4 kw



KT905.5GX

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:
 - 6,4 cm small burner - 1 kw
 - 8,4 cm middle burner x2 - 2 kw
 - 10,9 cm large burner - 3 kw
 - 12,9 cm ultra rapid - 4 kw



KT905.5SX

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:
 - 6,4 cm small burner - 1 kw
 - 8,4 cm middle burner x2 - 2 kw
 - 10,9 cm large burner - 3 kw
 - 12,9 cm ultra rapid - 4 kw

KT75.5X

90cm Gas Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To Heat Dishes Keeping Their Nutritional

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK
- Gas burners:
 - 6,4 cm small burner - 1 kw
 - 8,4 cm middle burner x2 - 2 kw
 - 10,9 cm large burner - 3 kw
 - 12,9 cm ultra rapid - 4 kw



Gas range 60 Cm



KT604TCBGL

60cm 4 gas burner full black tempered glass touch control cooktop

Technical data :

- surface: glass with 4 gas burner
- Touch Control
- 7 level Flame regulation
- Digital Control panel
- Child Lock
- Automatic Re-ignition
- Programmable Function of Long Cooking
- Flame failure device FFD
- Cast iron grids and burner caps
- HyperHeat Gas wok

Gas burners :

- 1 WOK Burner: 2500W
- 2 x semi-rapid Burner: 1750W
- 1 x Auxiliary Burner: 1000W

KT604.5BGL

60cm 4 gas burner vitroceramic Hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean

- Type of finish: Vitroceramic K
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK



KT60XX

60cm 4 gas burner hob

- Cast Iron Grid
- Gas Detection and stop gas system
- Automatic Ignition
- Power Cord
- 304 St. Steel Grade
- 4 Burners
- Front Left: Wok Burner (4 Kw)
- Rear Left: Semirapid (1,75 Kw)
- Rear Right: Rapid (2,80 Kw)
- Front Right: Auxiliary (1 Kw)
- Width: 600 mm
- Depth: 510 mm



KT604BGL

60cm 4 gas burner vitroceramic Hob

- Type of finish: vitroceramic K
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids



KT604.5X

60cm 4 gas burner hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK

KT604GX

60cm 5 gas burner cooktop

- Auto flameout protection
- Non-slip cast iron pan supports
- HyperHeat Gas wok
- Auto Ignition



KDF300X

- Fryer 30cm
- Customizable panel control
- Stainless steel surface
- Automatic ignition
- Cable with plug
- Thermostat for a constant oil temperature control



KT604X

60cm 4 gas burner hob

Flat Burners - Make The Hob More Gracious, Aesthetic And More Easier To Keep Clean Ultra Rapid Burner -The Fastest Way To

- Type of finish: SS
- steering: knobs
- Under Knob electronic ignition
- AntiLeak Gas Protection system
- cast iron grids
- HyperHeat Gas WOK



KPBQ300X

- Barbecue hob 30cm
- Customizable panel control
- Stainless steel surface
- Automatic ignition
- Cable with plug




KT302BGL

- Features :
- Type of finish: Vitroceramic K
 - Steering: knobs
 - Under Knob electronic ignition
 - AntiLeak Gas Protection system
 - Cast iron grids

KVC300

- 30cm Vitroceramic high light hob with double zone
- Vitroceramic hob 30cm
 - 2 high-light elements,1 double zone High-light element
 - 9 level touch control
 - Maximum power 3.0kW
 - Prime type ceramic cooktop
 - Residual heat indicator
 - Fast and easy cleaning




KT301BGL

- Features :
- HyperHeat Gas WOK
 - Type of finish: Vitroceramic K
 - Steering: knobs
 - Under Knob electronic ignition
 - AntiLeak Gas Protection system
 - Cast iron grids



KE300

- 30cm two hot plates cooktop
- Stainless steel hob 30cm
 - 2 solid hot plates
 - Customizable panel control
 - Automatic ignition
 - Cable with plug






AeroPure™ technology is the system that allows you to breathe fresh air in the kitchen. An application that changes drastically the concept of cooker-hood.

It is based on advanced technology capable of completely purify the air from potentially harmful elements such as: viruses, bacteria, spores, fungi, mold, pollen, dust, but even cooking fat, smoke, fumes and odors. The air is cleaned and purified through a series of photo catalytic processes activated from non-materials.

A system patented and tested by important universities that make cooker hoods more effective. It is totally safe and the materials used are certified as non-toxic and non-allergic. Compared to other less advanced solutions, AeroPure™ Tech does not generate Ozone.

Advantages Of AeroPure™

- Clean air, completely purified.
- Very low-noise in purifying mode.
- No connection pipe between cooker-hood and outside.
- Real energy saving compared to a traditional cooker-hood.
- No cleaning of system and low maintenance of filters.



The hood automatically comes on, operates and goes off, depending on the needs of the hub area. It can also operate by remote control, and most of KLUGMANN Rangehood operated by sensor control.



It tells the user when the filters need to be cleaned or changed.



System that uses the entire perimeter of the hood to increase the extraction speed and capacity.



It guarantees a reduction of the noise level due to the working phase, yet it is still very powerful.



Thanks to the particles of active carbon, they absorb the molecules that cause unpleasant smells.



Feature that gives to the hoods similar look of s-steel with protected surface touch-proof.





Therm Indicator

Internal sensor that shows ambient temperature in the cooking area.



Multimedia Cookerhood

With our multimedia cooker hood which is equipped with a USB port and tow concealed loudspeaker you can cook and enjoy listening to your favorite music.



Intensive Speed

It regulates hood operations at top speed. After a few minutes the hood returns to the previously set speed or goes off.



Rim ventilation filter

Looks exceptionally stylish with its smooth uninterrupted surface and is very easy to wash by hand or in the dishwasher. The patented filter sealing system, along with the flow-optimized multi-layer filter mats give an ultra-efficient grease separation level.



LED lighting

The new LED lights offer a longer lifetime and use less energy than conventional halogen lighting. Additional convenience is offered with Soft Light which gently fades lighting in and out with dimmer function. Some of our cooker hoods designed with a rim LED Lighting framing the entire hood.

BRUSHLESS DC MOTORS BLDC MOTORS

Most of Klugmann range hood equipped by Brushless DC motors. We use BLDC because of their high power density, good speed-torque characteristics, high efficiency, low maintenance and more energy saving products to global markets whilst being perfectly aligned with ECODESIGN directive of the EU

UV PCO Filter for Air Purification

- Let's have a look, why we use a cooker hood in our kitchens? Certainly because we want to evacuate heat-polluted air and cooking odors. Now Klugmann presents revolutionary solution to serve this purpose. It is Photo-Catalytic Oxidation technology adapted to cooker hoods in the form of filter.

- UV PCO is in general an air purifier that uses activated carbon, photocatalytic oxidation and ultraviolet light to remove odors and kill millions of airborne bacteria, viruses and mold. Activated carbon is well known for its ability to adsorb odor, smoke — all types of airborne organics. And now the UV PCO filters set out to create a kitchen air purifier that would take advantage of the properties of activated carbon, as well as disinfect the air and HVAC surfaces.

- UV PCO filter not only enables the cooker hood to deal with ALL cooking odours but also utilizes the product to sterilize the kitchen. It has a very fast payback as it turns cooker hoods into recirculating hoods and saves on energy costs.



How UV Photo-Catalytic Oxidation (**UV PCO**) Filter Works:

Photo-Catalytic oxidation (PCO) is achieved when you combine UV light rays with a NANO Titanium Dioxide (TiO₂) coated filter. This process creates hydroxyl radicals and super-oxide ions, which aggressively combine with other elements in the air, such as microbes (bacteria, viruses, mold and fungi) and all other airborne harmful pollutants. Once bound together, the chemical reaction takes place between the super-charged ion and the pollutant, effectively "oxidizing" (or burning) the pollutant. This breaks the pollutant down into harmless carbon dioxide and water molecules, making the air radically more purified.

Inspired

Clio


90cm Wall Mounted Inspired double black glass cooker hood

Clio is equipped with efficient motors 850 m³ / h dedicated to low-power, LED lights and touch pad.



- Material: black glass, painted frame, satin stainless steel chimney
- Controls: touch pad backlit
- Features: 4-speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- Light: LED high brightness and low power consumption 2x3W
- Aspiration: Perimeter
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power: 270 Watts

- Exit hole diameter: 150 mm with non-return valve
- Version: aspirant - Filter
- Complete with aluminum grease filters and • chimney kit painted.
- Optional Accessories
 - Activated carbon filters
 - Odor filter washable Hi-Filter
 - Ability to equip the hood freshen Deodorizing • system, innovative air freshener built into the hood.



Venus

90cm Wall Mounted Inspired round lighting glass cooker hood

Venus Hood's Engine power 850 m³ / h.

A high efficacy of concentrated suction around a perfect circle. When the hood is on the center ring lights on the perimeters to create a brilliant aesthetic effect. The frontal plane is lifted completely to facilitate the operations of cleaning and maintenance.



- Material: black or white glass, frame with circle and satin stainless steel chimney
- Controls touch pad backlit
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- LED light high brightness and low power consumption 2x3W
- Perimeter suction on the circumference
- Max Pressure: 560 Pa

- Max noise level: 62 dB
- Power 310 W
- Exit hole diameter 150 mm with non-return valve
- Ducting version - Filter
- Grease filter: Aluminium washable multilayer
- Filter odor: 2 sides motor activated charcoal (Optional)
- Hi-Filter: available (Optional)
- Stainless steel chimney kit (Optional).

Cupid

90cm Wall Mounted Inspired double black glass cooker hood

Cupid is equipped with efficient motors 850 m³ / h dedicated to low-power, LED lights and touch pad.



- Material: black glass, painted frame, fire-place and frame in satin stainless
- Controls: touch pad backlit
- Features: 4-speed with int., Timer, auto power off
- Light: LED high brightness and low power consumption 2x3W
- Perimeter Aspiration rectangular
- Hole dia. Output: 150 mm with check valve

- Version: aspirant - Filter
- Filter grease aluminum multilayer washable
- Odor filter: 2 sides motor activated carbon
- Hi-Filter available
- Stainless steel chimney kit included,
- Activated carbon filters (Optional)





Linus

90cm Multi-media Wall Mounted Inspired cooker hood

Linus Wall Hood 90 cm. Engine power 850 m3 / h.

A unique product that creates a pleasant atmosphere while you're in the kitchen. A hood very efficient with the convenient built-in commands to a radio. Two loudspeakers inductive guarantee quality and total reliability over time for a perfect listening.



- Material: structure and fireplace in satin stainless steel, black glass fronts
- Touch pad controls with backlit display
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- Function Fm Radio with built-in 2 speakers on the sides inductive
- LED light high brightness and low power consumption 4W
- Double suction horizontal linear with opening panel
- Max Pressure: 560 Pa

- Max noise level: 62 dB
- Power 310 W
- Exit hole diameter 150 mm with non-return valve
- Ducting version - Filter
- Grease filter: Aluminium washable multilayer
- Odor filter: 2 sides motor activated charcoal (Optional).
- Hi-Filter: available (Optional)
- Stainless steel chimney kit included

Doris 2

90cm Wall Mounted Inspired vetro cooker hood
Doris is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad.

A unique product that creates a pleasant atmosphere while you're in the kitchen.

A hood very efficient with the convenient built-in commands to a radio. Two loudspeakers inductive guarantee quality and total reliability over time for a perfect listening.



- Aluminum filter with metal housing
- Soft closing system
- Easy Mounting hanger design
- Black Glass
- remote control
- 90cm/60cm
- Wall Mounted Hood
- 1.200 m3/h capacity SuperPower Italian motor
- Patent Pending Super Silent Dual Fan
- XL cavity for more stable and extra

- power
- PowerPlus Metal Motor Cabinet
- Metal fan cover
- Touch control with Color TFT Display
- 6 power levels
- LED lighting
- Illumination power level control
- Auto operation
- Sensor control



Karlo

90cm Wall Mounted Inspired double black glass cooker hood
Wall Hood Karlo, 90 cm with engine from 850 m3 / h. with double perimeter suction

The panel is raised to facilitate the operations of cleaning and maintenance. The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.



- Material: brushed stainless steel frame and chimney and painted
- Controls: electronic push-button backlit
- Features: 4-speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- Light: LED high brightness and low power consumption 2x3W
- Intake: On Double Loop
- Max Pressure: 560 Pa
- Max noise level: 62 dB

- Power: 270 Watts
- Exit hole diameter: 150 mm with non-return valve
- Version: aspirant - Filter
- Complete with aluminum grease filters and chimney kit painted.
- Accessories sold separately:
- Activated carbon filters
- Odor filter washable Hi-Filter
- Ability to equip the hood system Fresh-Tech, innovative air freshener built into the



Uranus

90cm Wall Mounted Inspired double black glass cooker hood

Uranus 90 cm. Engine power 850 m3 / h.

A highly evolved product created for the most popular and modern kitchens. A design that gives the environment a great personality, the hood has two levels of intake, one vertical and one horizontal.



- Material: frame, fireplace and glass front white or black "stopsol"
- Multi-function electronic control commands
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- Light 2x20W halogen spotlights
- Double extraction of the horizontal and vertical
- Max Pressure: 560 Pa
- Max noise level: 62 dB

- Power 310 W
- Exit hole diameter 150 mm with non-return valve
- Ducting version - Filter
- Grease filter: Aluminium washable multilayer
- Odor filter: 2 sides motor activated charcoal (Optional)
- Stainless steel chimney kit (Optional).

Bianca

90cm Wall Mounted Inspired Vetro-Inox cooker hood
Bianca Engine power 850 m3 / h.

A hood from the large frontal area and an expanded scope of aspiration.
The front glass is lifted completely for easy cleaning and maintenance.



- Material: frame, fireplace in brushed stainless steel with black glass panel
- Electronic push-button controls with display
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- LED light high brightness and low power consumption 7W
- Perimeter Aspiration with extended opening panel
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W



- Exit hole diameter 150 mm with non-return valve
- Ducting version - Filter
- Grease filter: Aluminium washable multilayer
- Filter odor: 2 sides motor activated charcoal (Optional).
- Hi-Filter: available (Optional)
- Stainless steel chimney kit (Optional).



Gaspra

90cm Wall Mounted Inspired vetro cooker hood
Gaspra is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad.



- Material: black or white tempered glass, stainless steel chimney
- Controls: touch pad backlit
- Features: 4-speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- Light: LED high brightness and low power consumption 2x3W
- Aspiration: Perimeter
- Max Pressure: 560 Pa
- Max noise level: 51-63 dB
- Power: 250 Watts

- Exit hole diameter: 150 mm with non-return valve
- Version: aspirant - Filter
- Complete with aluminum grease filters and chimney kit painted.
- Activated carbon filters
- Remote Control
- Colors: Black, White.



Egeria

90cm Wall Mounted Inspired glass cooker hood

Egeria is equipped with efficient motors 1200 m3 / h dedicated to low-power, LED lights and touch pad.



- Full Electronic Touch Control
- 2 x 6w LED Strip Lighting
- Independent Lighting Control
- 4 speed with Induction Control
- For Ducted Applications only

- Size: 900mm wide
- Airflow: 1200m3/h
- Ducting: 150mm
- Filters: 10mm Stainless Baffle

Urania

36cm Wall Mounted Inspired Round Inox cooker hood

Urania 36 cm. Engine output 700 m3 / h.
The elegant cylinder shape for a hood with attention to detail.
It offers a touch of style in many kinds of cuisines. It is equipped with electronic control, halogen spotlight and the latest generation engines.



- Material: Body hood in brushed stainless
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- Light 1x20W halogen spotlights high brightness
- Perimeter Aspiration with opening panel
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W

- 150 mm diameter outlet with non-return valve
- Ducting version - Filter
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides motor active carbon (Optional).



Exceptio

EXCEPTIO 90cm Wall Mounted Inspired white and black glass/ inox cooker hood
EXCEPTIO equipped with German engine with capacity of 850m³ /h.



- Material: Tempered Glass mat with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Power: 230W

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter

Magica

MAGICA 90cm Wall Mounted Inspired black glass/inox cooker hood
MAGICA equipped with German engine with capacity of 850m³ /h.



- Material: Tempered Glass Black & White with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Power: 230W

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter



Conceptu

CONCEPTU 90cm Wall Mounted Inspired black glass/inox cooker hood
CONCEPTU equipped with German engine with capacity of 850m³ /h.

- Material: Tempered Glass mat with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Power: 230W

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter

Luxus

LUXUS 90cm Wall Mounted Inspired black glass/inox cooker hood
Luxus equipped with German engine with capacity of 850m³ /h.



- Material: Tempered Glass with stainless steel
- Controls: Touch Control
- Features: 4 speed, Intensive, Timer
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Noise level dBA (450m³/h): 60

- Power: 230W
- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter

Optimus

90cm Wall Mounted Inspired black vetro cooker hood.OPTIMUS is equipped with efficient German motors 850 m3 / h dedicated to low-power, LED lights and touch pad.



- Material: black or white tempered glass, stainless steel chimney
- Controls: touch pad backlit
- Features: 4-speed with intensive, timer, automatic shutdown
- Light: LED high brightness and low power consumption 2x3W
- Aspiration: Perimeter
- Max Pressure: 560 Pa
- Max noise level: 51-63 dB

- Power: 250 Watts
- Exit hole diameter: 150 mm with non-return valve
- Version: aspirant - Filter
- Complete with aluminum grease filters and chimney kit painted.
- Activated carbon filters
- Colors: Black, White.



Firmus

Wall Hood Flexi equipped with engine with capacity of 850 m3 / h.

- Material: Tempered Glass with stainless steel and black painted chimney
- Controls: Sliding Touch Control
- Features: 5 speed with intensive, timer, automatic shutdown, cleaning and filter replacement indicator
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Max noise level: 60 dB

- Power: 230 Watts
- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter
- Contentious 24h ventilation



Gradus

Gradus 90cm Wall Mounted Inspired black glass/inox cooker hood Wall Hood Gradus equipped with engine with capacity of 850 m3 / h.

- Material: Tempered Glass with stainless steel
- Controls: Touch Control
- Features: 5 speed, Intensive, Timer, remote control
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 560 Pa
- Noise level dBA (450m3/h): 60
- Power: 230W

- Exit hole diameter: 150 mm with non-return valve
- Filter Version: 5 Layer Aluminium cassette grease filter
- Activated carbon filters, optional UV PCO Filter
- Contentious 24h ventilation

Plenum

90cm Wall Mounted Inspired cooker hood Wall Hood Plenum, 90 cm with engine from 850 m3 /h. The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.

- Material: brushed stainless steel with black tempered glass
- Controls: Touch Control
- Features: 5 speed with timer
- Light: LED high brightness and low power consumption 2x3W
- Max noise level: 62 dB
- Power: 230 Watts
- Exit hole diameter: 150 mm with non-return valve

- Version: aspirant - Filter
- Complete with 5 layer aluminum grease filters and chimney kit painted.
- Accessories sold separately:
- Remote control
- Activated carbon filters and Odor filter washable Hi-Filter



Planus

90cm Wall Mounted Inspired black cooker hood
Wall Hood PLANUS, 90 cm with engine from 830 m³ / h. The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.



- High Efficiency motor 830 m³/h
- XL cavity for more stable and extra power suction
- PowerPlus Metal Motor Cabinet
- Metal fan cover
- Tactile control with centralized LED display
- 5 level power control
- Booster function
- LoopTouch Control with middle LED display
- Illuminated logo
- Extra Clear flush panel LED lighting

- Dimmer effect in lighting
- Soft Closing System
- Aluminum filter with metal housing
- Easy Mounting hanger design
- Black Glass
- remote control White
- Ability to equip the hood system FreshenTech, innovative air freshener built into the hood.



Ramp

Miranda is equipped with efficient motors 1200 m³ / h dedicated to low-power, LED lights and touch pad. Miranda is equipped with efficient motors 1200 m³ / h dedicated to low-power, LED lights and touch pad.

- High Efficiency motor 830 m³/h
- XL cavity for more stable and extra power suction
- PowerPlus Metal Motor Cabinet
- Metal fan cover
- Tactile control with centralized LED display
- 5 level power control
- Booster function
- LED lighting
- Color Metal Decor Filter
- Aluminum grease filter with metal housing
- Easy Mounting hanger design

- Timer
- Filter Saturation Indicator
- Aluminum Design with Shiny White finish
- Metal Decor Filter (Red, Brass, Green, White, Black, Emerald) Body (Black, White, Silver)
- Ability to equip the hood system FreshenTech, innovative air freshener built into the hood.



- Finish: Black Tempered Glass
- Width Alternatives (mm): 600 - 900
- Control Type: Touch Control
- Motor Power: 125W
- Speed Settings: 3
- Performance m³/h: 850
- Noise dBA (400 m³/h) : 58

Artifex

60 & 90cm Wall Mounted Inspired double black glass cooker hood
Artifex is equipped with efficient motors 850 m³ / h dedicated to low-power, LED lights and touch pad.

- Light Type: LED
- Filter Type: 5 layer Aluminium Cassette Filter
- Optional UV PCO Filter: Available

Rectus

90cm Wall Mounted Inspired cooker hood
Wall Hood Rectus, 90 cm with engine from 800 m³ / h. with touch control. The model is equipped with efficient motors dedicated to low-power, LED lights and electronic control.



- Material: brushed stainless steel with black tempered glass
- Controls: Touch Control
- Features: 4-speed with intensive, timer, automatic shutdown.
- Light: LED high brightness and low power consumption 2x3W
- Max Pressure: 590 Pa
- Max noise level: 67 dB
- Power: 270 Watts
- Exit hole diameter: 150 mm with non-return valve

- Version: aspirant - Filter
- Complete with aluminum grease filters and chimney kit painted.
- Accessories sold separately:
 - Activated carbon filters
 - Odor filter washable Hi-Filter
- Ability to equip the hood system FreshenTech, innovative air freshener built into the hood.

KH9850X

90cm Wall Mounted Pro Flat cooker hood, Engine output 850 m³ / h.



- Material: Stainless steel
- Extraction Capacity 850m³/h
- Controls touch pad backlit
- Speeds 5
- Filter Type: 5 Layer Aluminium Cassette Filter
- Filter Changing Indicator Available
- Switched Off Timer
- Motor Power 230W
- Halogen Light spots 20w
- Max noise level: 58 dB

- 120 mm diameter outlet hole with non-return valve
- Continuous 24 Hour Ventilation: Available
- Ducting version - filter
- Grease filter: 1 Stainless steel washable filter
- Remote Control (Optional)
- Optional UV PCO Filter: Available

KH900X / KH600X

90/60cm Wall Mounted cooker hood



- Extraction Capacity: 650m³
- Material: stainless steel Features: 3-speed
- Aspiration: Perimeter Max Pressure: 560 Pa Max noise level: 51-63 dB Power: 250 Watts
- Extraction Capacity: 650m³
- Material: stainless steel Features: 3-speed

- Aspiration: Perimeter Max Pressure: 560 Pa Max noise level: 51-63 dB Power: 250 Watts
- Exit hole diameter: 150 mm with non-return valve



KH9650SC X

90cm Wall Mounted Pro Curved Glass cooker hood
Wall Hood 90 cm. Engine output 800 m³ / h.



- Material: Stainless steel with curved glass.
- Multi-function electronic push-button controls
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- LED light high brightness and low power consumption 7W
- Extended suction on lower floor
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W

- 150 mm diameter outlet hole with non-return valve
- Ducting version - filter
- Grease filter: multi-layer washable aluminum
- Odour filter: a single active carbon (Optional)
- Hi-Filter: available (Optional).

Island



Harmonia

90cm Inspired Island cooker hood

Harmonia Engine output 850 m³ / h.

An exclusive island hood characterized by the double stainless steel or Vetro top. A system of lights with 10 lights illuminates properly the hob and the surrounding area.



- Material structure and fireplace in satin stainless steel, curved front glass floors and white stopsol
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- Halogen light with high brightness on the lower floor and 2 floors between the front 10X20W
- Perimeter Aspiration
- Max Pressure: 560 Pa

- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).

Thalia

40cm Island cooker hood

Triton Island hood 90cm. Engine output 850 m³ / h.

A central band in steel with rounded corners and a double horizontal plane in black glass. The perimeter extraction integrated into the glass as the Led light make this island cooker hood very effective and practice in cleaning. The motor can be removed from the structure and positioned up to 6 meters from the cooker hood.



- Material frontal and chimney in scotch brite St-steel, horizontal plansin black glass
- Commands button panel multifunction electronic controls
- Features 4 speed with int., timer, automatic switch off, indication for washing and replace of filters
- LED light high brightness and low power consumption and 4x3W LED running lights on all 4 sides



- Perimeter Aspiration with removable panel
- 150 mm diameter outlet with non-return valve
- Filter or ducting
- Grease filter: multi-layer washable aluminum
- Charcoal Filter 1 attached to the aluminium filter
- Hi-Filter (Optional).

BLANDO

40cm Inspired Island cooker hood

- Material structure and fireplace in satin stainless steel, curved front glass floors and white stopsol
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- Halogen light with high brightness on the lower floor and 2 floors between the front 10X20W
- Perimeter Aspiration
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Marimba

40cm Island cooker hood

Marimba Island hood 60x60 cm. Engine output 850 m³ / h.

A model of the series hanging in steel and glass diffusers on the sides. A cube that lights up on the surfaces creating the effect of a lamp environment. Easy to install



- Material structure in satin stainless steel, and glass diffusers
- Commands button panel 5 backlit keys
- Features 4-speed with intensive
- LED light high brightness and low power consumption and 4x3W LED running lights on all 4 sides
- Perimeter Aspiration with removable panel

- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Filter Version
- Grease filter: multi-layer washable aluminum
- Odour filter: a single active carbon (Optional)
- Hi-Filter: available (Optional).



Opera

90cm Island cooker hood

Opera 90x60cm Island. Engine output 700 m³ / h.

An island hood linear with squared corners and a glass both on the front and bottom to create a plan with perimeter aspiration easy to clean. In the version with the white glass front lights during operation of the hood



- Material structure and fireplace in satin stainless steel, glass front and bottom black or white
- Controls touch pad backlit
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- LED light high brightness and low power consumption 14W
- Perimeter Aspiration with opening panel
- Max Pressure: 560 Pa

- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: a single active carbon (Optional)
- Hi-Filter: available (Optional)

Croton

90cm Pro cooker hood

Croton 90x30 cm version with engine 850 m³/he.



- Material: Stainless steel AISI 430 + glass
- Controls: Remote Control
- Features: 4-speed + Timer
- Light: LED high brightness and low power consumption 2x6.5W
- Aspiration: Perimeter enlarged



- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power: 270 Watts
- Exit hole diameter: 150 mm with non-return valve
- Filter: anodized aluminium (5+1 layers)

Available colors of the glass: BLACK and WHITE



Hestia

40cm Island cooker hood

Hestia Island hood from 60x40 cm. Engine output 850 m³ / h.



- An elegantly shaped hood with glass surfaces white. Reliable and solid is equipped with electronic control, low-consumption LEDs.
- Body Material hood with white glass bottom floor in satin stainless steel
- Controls 5-button backlit keypad electronic
- Features 4-speed with intensive
- LED light high brightness and low power consumption 6x1W
- Perimeter Aspiration with opening panel

- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (optional)
- Hi-Filter: available (optional).

Cieling

Nesoi

90cm Inspired Ceiling cooker hood

Ceiling hood from 90 cm. Engine output 850 m3 / h.



- Material: brushed stainless steel frame and fireplace, floors upper and lower horizontal black glass
- Remote control
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- LED light high brightness and low power consumption 7W
- Extended suction on lower floor
- Max Pressure: 560 Pa

- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version - Filter
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Trio (Vesrion1 Inox)



Sonata (Vetro)



Chorus (Vetro-Inox)

120cm Inspired Island cooker hood
Island hood 120x60 cm. Engine output 850 m3 / h.

A ceiling model that collects and leaves exposed the steel floor. The panels are opened for easy cleaning and maintenance. A handy remote control allows full control of functions. 2 powerful LED lights lines



- Material visible structure in satin stainless steel
- Controls with Remote Control
- Features 4-speed with intensive
- LED light high brightness and low power consumption 14W
- Perimeter Aspiration with triple opening panel
- Max Pressure: 560 Pa

- Max noise level: 62 dB`
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Orchestra

90cm Inspired Ceiling cooker hood

Ceiling hood from 90 cm. Engine output 850 m3 / h.

A totally new model right by the double horizontal black glass and a central band in stainless steel. A system of LED lights illuminates the cooktop properly



- Material: brushed stainless steel frame and fireplace, floors upper and lower horizontal black glass
- Remote control
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- LED light high brightness and low power consumption 7W
- Extended suction on lower floor

- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version - Filter
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Serenade

90cm Inspired Ceiling cooker hood

Ceiling hood from 125x105 cm. Engine output 850 m3 / h.

A ceiling model that collects and leaves exposed the glass and steel. The panels open like a book for easy cleaning and maintenance. A handy remote control allows full control of functions. 4 powerful LED lights.



- Material visible structure in brushed stainless and black or white glass or glass / stainless version
- Controls with Remote Control
- Features 4-speed with intensive
- LED light high brightness and low power consumption 28W
- Perimeter suction with double opening panel
- Max Pressure: 560 Pa
- Max noise level: 62 dB

- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version-filtering
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Symphony

90cm Inspired cooker hood

Symphony from 90x61 cm. Engine output 850 m³ / h.

A ceiling model with all the visible structure that does not require the installation flush. The sides of the hood are made of glass of white color. A great plan from light to light the entire base of the kitchen.



- Material visible structure in satin stainless steel, white glass side surfaces
- Controls with Remote Control
- Features 4-speed with intensive
- LED light high brightness and low power consumption 17W spread on the floor
- Perimeter Aspiration enlarged with opening top
- Max Pressure: 560 Pa
- Max noise level: 62 dB
- Power 310 W

- 150 mm diameter outlet with non-return valve
- Ducting version-filter with stainless steel frame
- Grease filter: multi-layer washable aluminum
- Odour filter: 2 sides suction activated carbon (Optional)
- Hi-Filter: available (Optional).



Moonlight

90cm Inspired Ceiling cooker hood


Multimedia Ceiling hood 120cm. Engine output 850 m³ / h.

A totally new model right by the double horizontal black glass and a central band in stainless steel. A system of LED lights illuminates the cooktop properly



- Size 120x50 cm
- Material: body painted, black and frosted glass
- Remote control
- 4 speed with intensive functions, timer, auto power off, display cleaning and filter replacement
- Extraction large perimetral with openable panel
- LED light high brightness and low power consumption 7W
- Max noise level: 62 dB

- Power 310 W
- 150 mm diameter outlet with non-return valve
- Ducting version - Filter
- Grease filter: multi-layer washable aluminum
- Radio frequency with remote control.
- Odour filter: 2 2 filters on sides of motor (Optional)
- Hi-Filter: available (Optional).





ExtraLoad Capacity

All our dishwasher models fitted with a third rack, furnishing these dishwashers with greater load flexibility up to 14 place settings. This third rack can be arranged in 4 different ways depending on your needs. For example in a two-height load you can lower one half for high glasses and use the other for cutlery or coffee cups.



Half Load

All our dishwasher models fitted with a third rack, furnishing these dishwashers with greater load flexibility up to 14 place settings. This third rack can be arranged in 4 different ways depending on your needs. For example in a two-height load you can lower one half for high glasses and use the other for cutlery or coffee cups.



Adjustable racks

A convenient solution for washing larger pots, pans, plates, and glasses! KLUGMANN dishwashers feature an excellent two-level basket height adjustment system. Lifting the baskets, when required, is now even easier since the height adjustment mechanism is fitted on both sides of the basket and coloured red making handling much easier.



AquaStop

All our dishwasher models fitted with a third rack, furnishing these dishwashers with greater load flexibility up to 14 place settings. This third rack can be arranged in 4 different ways depending on your needs. For example in a two-height load you can lower one half for high glasses and use the other for cutlery or coffee cups.



Intensive programme

This programme is ideal for cleaning very dirty dishes, when a regular programme is perhaps not enough. Pre-washing with hot water takes place before the main wash and rinsing with hot water takes place twice. The Intensive programme, using maximum temperature of the washing and increased dose of detergent, makes that even burnt fat disappears without a trace

Fully Integrated Dishwasher



KD600

KD605

KD450.1

KD450

60cm A++ fully integrated dishwasher, 12 place settings, 2/3 baskets and 6 wash programs



- Capacity (place settings) : 12
- Energy Consumption (KWH) : 299
- Water Consumption (L) : 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level : 49dB(A)

- Programs
Intensive - Normal - Eco
1 Hour Express - Glass - Rapid

- Delay Start : 24 hours
- Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

45cm A++ fully integrated dishwasher with ExtraLoad Tub, 9 place settings, 2 baskets, 6 wash programs



- Capacity (place settings) : 9
- Energy Consumption (KWH) : 240
- Water Consumption (L) : 2900
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level : 49dB(A)

- Programs
Intensive - Normal - Eco
1 Hour Express - Glass - Rapid

- Delay Start : 24 hours
- Third Layer Cultery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

Integrated Dishwasher



KD600X



60cm integrated dishwasher with 14 place settings, 2 layer baskets and 1 cutlery basket, 7 wash programs

- Capacity (place settings) : 12
- Energy Consumption (KWH) : 299
- Water Consumption (L) : 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level : 49dB(A)

- Delay Start : 24 hours
- Third Layer Cutlery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

- Programs
Intensive - Normal - Eco
1 Hour Express - Glass - Rapid - Soak



KD450X



45cm integrated dishwasher with 9 place settings, 2 layer baskets and 1 cutlery basket, 6 wash programs

- Capacity (place settings) : 9
- Energy Consumption (KWH) : 299
- Water Consumption (L) : 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level : 49dB(A)

- Delay Start : 24 hours
- Third Layer Cutlery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

- Programs
Intensive - Normal - Eco
1 Hour Express - Glass - Rapid - Soak



KD600.5X



60cm integrated dishwasher with dualzone wash and 12 place settings, 2 layer baskets and 1 cutlery basket, 8 wash programs

- Capacity (place settings) : 12
- Energy Consumption (KWH) : 299
- Water Consumption (L) : 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level : 49dB(A)
- Delay Start : 24 hours
- Third Layer Cutlery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

- Programs
Intensive - Normal - Eco
1 Hour Express - Glass - Rapid - Soak




KD450.5X



45cm integrated dishwasher with 9 place settings, 2 layer baskets and 1 cutlery basket, 6 wash programs

- Capacity (place settings) : 9
- Energy Consumption (KWH) : 299
- Water Consumption (L) : 3500
- Energy Efficiency (EN50242) : A++
- Cleaning Efficiency : A
- Drying Efficiency : A
- Noise Level : 49dB(A)
- Delay Start : 24 hours
- Third Layer Cutlery Basket : optional
- Half Load : yes
- Height adjustable upper basket : yes

- Programs
Intensive - Normal - Eco
1 Hour Express - Glass - Rapid - Soak



Integrated Washing machine



KCI325 / INTEGRATED WASHER LAUNDRY

FEATURES

- SPIN SPEED: 1400RPM
- WASH LOAD: 7KG
- 16 PROGRAMMES
- VARIABLE SPIN SPEED
- LED DISPLAY
- ACOUSTIC SIGNAL FOR END OF PROGRAMME
- VARIABLE WASH TEMPERATURE
- STAINLESS STEEL DRUM

FUNCTIONS

- PREWASHING
- EXTRA RINSE
- CHILD LOCK (COMBINED)
- SPIN SPEED SELECTION
- CHILD LOCK
- TEMPERATURE SELECTION

ENERGY

- ENERGY RATING : A+++
- WASH RATING: A
- SPIN RATING: B
- ENERGY CONSUMPTION PER YEAR: 175KW.H
- WATER CONSUMPTION PER YEAR:

PROGRAMMES

- COTTON INTENSIVE
- COTTON 60°
- COTTON 40°
- COTTON 20°
- QUICK 15'
- BABY CARE
- SPORTS
- SYNTHETIC
- MIXED
- DELICATE
- WOOL
- DRAIN ONLY
- SPIN ONLY
- MY CYCLE
- RINSE & SPIN
- HAND WASH

10000L

TECHNICAL SPECIFICATION

- RATED ELECTRICAL POWER: 2KW
- POWER SUPPLY: 13A
- NOISE LEVEL - WASH: 57DBA
- NOISE LEVEL - SPIN: 76DBA

BUTTON FUNCTION

- POWER
- TEMP
- DELAY
- SPEED
- FUNCTION

Integrated Washer dryer

KIWD6200

Features

- Spin speed: 1200rpm
- Wash load: 6kg
- Dry load: 3kg
- 11 programmes
- Delay timer
- Variable spin speed
- LED display
- Acoustic signal for end of programme

Wash Functions

- Extra rinse function
- Intensive wash function
- 15 minute quick wash function

Dryer Functions

- Condensing dryer
- Reversible drum action
- Drum clean programme
- Safety
- Safety key lock

- Variable wash temperature
- Stainless steel drum
- Technical Specification
- Rated electrical power: 2kW
- Power supply required: 13A
- Noise level - wash: 59dBA
- Noise level - spin: 76dBA
- Noise level - dry: 58dBA

Programmes

- Intensive - Cotton - Synthetics Wool/ Handwash - Delicate - Drum Clean
- Spin - a- Rapid - Hygiene


Wash Functions

- Energy rating: B
- Wash rating: A
- Spin rating: B
- Energy consumption per cycle: 0.98kW.h
- Water consumption per cycle: 108L

KIWD6200

Integrated Washer Dryer





Freestanding



KAF300XX

Freestanding stainless steel module combined from full height fridge, freezer and wine cabinet set. 186cm Height.

KW3132GXB

Multi-Temperature Wine Cabinets with 132 Bottles Storage
klugmann wine storage cabinet equipped with three temperature wine cooling zones. the temperature in the upper zone can be set to between +5°C and +10°C, in middle zone between +5°C and +12°C and below zone especially for red wine between +10°C and +18°C, making these appliances ideal for long-term storage and the ageing of wine. flush-integrated led lighting perfectly showcases the wines stored. the cabinet has 6 wood telescopic rails the cabinet can be loaded with 132 bordeaux bottles (43 up, 45 in the middle and 44 below).

- Energy efficiency class A
- Control lcd-display
- Number of storage shelves 9 wooden telescopic rails
- Temperature zones 3
- Product dimensions (h/w/d) 1825/ 598 / 685 mm
- Maximum number of 0.75 l bordeaux bottles 132
- Design stainless steel with glass
- Door reversible
- Noise level 45 d(ba)

KFM1000IX

Full height fridge with temperature display

- Total net capacity 380 litres
- Display electronic controls
- Deluxe steel trimmed interior
- Supercool function
- 5 glass shelves (4 are removable)
- 2 salad crisper drawers (one with humidity control)
- 5 door storage compartments
- Bottle rack
- Egg tray
- LED interior lighting
- Noise level 40dB
- Energy rating: A+
- Annual energy consumption 169 kwh
- Height 1770mm
- Door: right hinged, reversible
- Door fitment: sliding hinges

KFZM1000IX

Full height freezer with temperature display

- Total net capacity 380 litres
- Nofrost
- Display electronic controls
- Deluxe steel trimmed interior
- Superfrost function
- LED interior lighting
- Noise level 39dB
- Energy rating: A+
- Annual energy consumption 169 kwh



KAFW1000

Freestanding stainless steel module combined from full height American fridge and wine cabinet KW3132GXB set. 186cm Height.

KAF643SX or KAF643WDI American fridge with or without water dispenser

- Total Gross/Net (litres) 657/592
- Gross/Net refrigerator compartment (litres) 400/378
- Gross/Net freezer compartment (litres) 257/214
- Nofrost
- Energy rating: A+
- Annual energy consumption 423 kwh
- Noise level 46dB
- Fresh food features
- ClearLook door bins 4 (3 adjustable)
- Separate compartment for dairy
- Glass spillproof shelves 4 (3 adjustable)
- Internal lighting 1x standard
- Fruit and vegetable drawer adjustable humidity
- Separate drawer
- Electronic controls (0-9) Technology
- ClimateGuard
- Freezer features
- Electronic ice maker
- Metal baskets 4
- Freezer baskets (Slide'n Store) 2
- Door bins 6
- Internal lighting standard
- FrostGuard Technology
- Climate class T (16°C - 43°C)



KAFW1000 - PRO

120 cm Six Compartment Fridge Freezer

Features :

- Argon filled triple glazed door
- Metal handles
- Plumbed Internal automatic ice maker
- Filtered water supply for ice maker
- Electronic touch control with digital display
- 3 Temperature zones
- Each fridge zone can be turned off independently
- Dual refrigeration system with 2 compressors and 3 evaporators
- 4 Star 216 litres, 2 star 31 litres
- Auto defrost
- Frost-free
- Super freeze and super cool functions
- Sabbath mode
- Open door alarm
- Forced air flow design
- Vegi-fresh compartment to keep vegetables fresh for longer
- Ambient humidity sensor for optimum performance
- Time and date display
- 100% CFC / HFC free
- Enhanced LED lighting through illuminated shelf supports
- Front access to levelling
- Can be installed built-in or freestanding with optional side panels
- Climate class SN/T

Storage:

- 6 Safety glass shelves
- 1 Sliding bottle tray
- 2 Freezer drawers
- 1 Crisper drawer
- 1 Ice compartment with ice maker
- 1 Glass marinating tray

Capacity :

- Total net capacity : 29 Cu ft/820 Litre
- Total gross capacity : 25.2 Cu ft/713 Litre
- Fridge net capacity : 16.5 Cu ft/466 Litre
- Freezer net capacity : 8.7 Cu ft/247 Litre

Dimensions:

- Width 1214mm
- Height 2129mm
- Depth (inc. door - excl. handle) 724.7mm
- Depth (inc. door and handle) 778.7mm
- PERFORMANCE:
- Energy Class A++
- Energy Consumption 435kWh/yr
- Max. Noise Level 48dB[A]
- Freezing Capacity 13kg/24hrs

Design:

- Stainless steel exterior and interior

KAF643WDI

90cm american side-by-side stainless steel fridge - freezer with or without water dispenser and ice maker

Features :

- Total Gross/Net (litres) 657/592
- Gross/Net refrigerator compartment (litres) 400/378
- Gross/Net freezer compartment (litres) 257/214
- Nofrost
- Energy rating: A+
- Annual energy consumption 423 kwh
- Noise level 46dB
- Fresh food features
- ClearLook door bins 4 (3 adjustable)
- Separate compartment for dairy
- Glass spillproof shelves 4 (3 adjustable)
- Internalal lighting 1x standard
- Fruit and vegetable drawer adjustable humidity
- Separate drawer
- Electronic controls (0-9) Technology
- ClimateGuard
- Freezer features
- Electronic ice maker
- Metal baskets 4
- Freezer baskets (Slide'n Store) 2
- Door bins 6
- Internalal lighting standard
- FrostGuard Technology
- Climate class T (16°C - 43°C)



KAF643SX

90cm American Side-By-Side Stainless Steel Fridge - Freezer With Electronic Control System A+

Features :

- Total Gross/Net (litres) 657/592
- Gross/Net refrigerator compartment (litres) 400/378
- Gross/Net freezer compartment (litres) 257/214
- Nofrost
- Energy rating: A+
- Annual energy consumption 423 kwh
- Noise level 46dB
- Fresh food features
- ClearLook door bins 4 (3 adjustable)
- Separate compartment for dairy
- Glass spillproof shelves 4 (3 adjustable)
- Internalal lighting 1x standard
- Fruit and vegetable drawer adjustable humidity
- Separate drawer
- Electronic controls (0-9) Technology
- ClimateGuard
- Freezer features
- Electronic ice maker
- Metal baskets 4
- Freezer baskets (Slide'n Store) 2
- Door bins 6
- Internalal lighting standard
- FrostGuard Technology
- Climate class T (16°C - 43°C)

KFF185BGL

Fridge - freezer with electronic control system A++ energy efficiency class

Features :

- Dimensions: 185x60x67 cm
- Fridge net capacity: 229 l (with 0 ° C FRESH ZONE)
- Freezer net capacity: 88 l
- Energy class: A++
- Colour: Surface of the door - black tempered glass
- Total gross capacity 338 l
- Cold section 0° C FRESH ZONE net capacity 21 l
- Energy consumption in 24 hours 0,637 kWh
- Climate class N-ST
- Temperature in the freezer -18 °C and lower
- Freezing capacity 12 kg / 24 h
- Storage time if power cut 20 h
- Reversible doors
- Noise level 41 dB(A)



Refrigerator Compartment :

- Refrigerator compartment
- Anti-Bacterial protection system
- Auto defrost system
- Interior LED lighting
- 2 adjustable safety glass shelves
- Glass shelf above cold section 0° C FRESH ZONE
- Glass shelf above vegetable / fruit drawers
- Shelf for bottles
- Pull-out 0° C FRESH ZONE drawer
- 2 drawers for vegetables and fruits
- In doors:
 - Compartment with lid
 - 2 small adjustable door trays
 - 2 universal adjustable door trays
 - Deep tray for bottles with protection from falling out
 - Eggs tray (6 pc.)

Electronic control system :

- Refrigerator compartment functions and settings:
 - Refrigerator compartment ON / OFF;
 - Accurate temperature setting in the refrigerator compartment;
 - Quick cooling function SUPER COOL in the refrigerator compartment.
 - "Holiday" function.
- Freezer compartment functions and settings.
 - Freezer compartment ON / OFF.
 - Accurate temperature setting in the freezer compartment.
 - Quick freezing function FAST FREEZE in the freezer compartment.
 - "Party" function.
 - Other functions.
 - Open door alert.
 - Control panel lock function.
 - Over temperature alarm.



KFF185X

Fridge-freezer Frost free A++ energy efficiency class

Features :

- Dimensions: 185x60x62 cm
- Fridge net capacity: 210 l (with 0 ° C FRESH ZONE)
- Freezer net capacity: 74 l
- Energy class: A+
- Colour: inox
- Total gross capacity 319 l
- 0° C FRESH ZONE compartment net capacity 21 l
- Energy consumption per day 0,794 kWh
- Climate class N-ST
- Temperature in the refrigerator compartment from 0 °C to +8 °C
- Temperature in the 0° C FRESH ZONE from -2°C to +3° C
- Temperature in the freezer -18 °C and lower
- Freezing capacity in 24 hours 6 kg
- Storage time if power cut 20 h
- Noise level 41 dB(A)
- Reversible doors



Refrigerator Compartment :

- Anti-bacterial protection system
- Auto defrost system
- LED lighting
- 2 adjustable safety glass shelves
- Special shelf for bottles
- Glass shelf above 0° C FRESH ZONE compartment
- Pull-out 0° C FRESH ZONE drawer
- Glass shelf above vegetable and fruit drawers
- 2 drawers for vegetables and fruits
- In the door:
 - Compartment with lid
 - 2 small adjustable door trays
 - Adjustable universal door tray
 - Deep tray, providing secure storage for bottles
 - Insert for eggs (6 pc.)

Electronic control system :

- NO FROST: Automatic defrosting
- Pull-out FAST FREEZE compartment
- 2 pull-out drawers for frozen products



KFF700X

70cm Width Stainless Steel Combi Fridge - Freezer With Electronic Control System A++

Features :

- Dimensions: 1868x700x735 Mm / 109,6 Kg
- Total Gross Capacity: 510l/ 461l
- Fridge Net Capacity: 355l / 333l
- Chiller Compartment Net Volume: 24l
- Freezer Net Capacity: 155l / 128l
- Energy Class: A++
- Color: Stainless Steel
- Energy Consumption Annually 321 Kwh
- Climate Class T/Sn (10°C - 43°C)

Refrigerator Compartment :

- Freezer Compartment :
- Nofrost

Refrigerator Compartment :

- Anti-Bacterial Protection System
- Nofrost System
- Interior Led Lighting
- 3 Adjustable Safety Glass Shelves
- Glass Shelf Above Vegetable / Fruit Drawers
- Shelf For Bottles
- 2 Drawers For Vegetables And Fruits

- Temperature Is Regulated On The Scale Of Seven Digits
- Temperature In The Freezer -18 °C And Lower
- Temperature Rise Time (-18°C/-9°C) 24h
- Freezing Capacity 9 Kg / 24 H
- Storage Time If Power Cut 20 H
- Reversible Doors
- Noise Level 43db(A)

- 3 Pull-Out Drawers For Frozen Products

- Enclosed Compartment For Cheese
- 2 Small Adjustable Door Trays
- 2 Universal Adjustable Door Trays
- Deep Tray For Bottles With Protection From Falling Out
- Eggs Tray (6 Pc.)

KFF186IX

Fridge - Freezer With External Electronic Display And Control System A++

Features :

- Dimensions: (HxwxD) 186x59.5x65 Cm
- Fridge Net Capacity: 237 L
- Freezer Net Capacity: 104 L
- Energy Class: A+
- Colour: Stainless Steel.
- Total Gross Capacity 341 L
- Annual Energy Consumption 263 kWh
- Climate Class T/Sn (10 °C - 43 °C)
- Reversible Doors
- Noise Level 42 Db(A)
- Led Internal Lighting



KFF195BGL

Fridge - freezer with electronic control system A++ energy efficiency class

Features :

- Dimensions: 194,5x60x62 cm
- Fridge net capacity: 233 l
- Freezer net capacity: 88 l
- Energy class: A+
- Colour: white, inox, grey metallic, black, red, beige.
- Total gross capacity 338 l
- Energy consumption in 24 hours 0,717 kWh
- Climate class N
- Temperature in the refrigerator compartment from 0 °C to +8 °C
- Temperature is regulated on the scale of seven digits
- Temperature in the freezer -18 °C and lower
- Freezing capacity 12 kg / 24 h
- Storage time if power cut 20 h
- Reversible doors
- Noise level 41 dB(A)



Refrigerator Compartment :

- Frost Free
- Pull-Out Drawer For Small Frozen Products
- Pull-Out Fast Freeze Drawer
- 2 Pull-Out Drawers For Frozen Products
- Frost Free System
- Interior Led Lighting
- 3 Adjustable Safety Glass Shelves
- Glass Shelf Above Vegetable / Fruit Drawers
- 2 Drawers For Vegetables And Fruits
- Enclosed Compartment For Cheese
- 2 Small Adjustable Door Trays
- 2 Universal Adjustable Door Trays
- Eggs Tray (6 Pc.)



Refrigerator Compartment :

- Anti-Bacterial protection system
- Auto defrost system
- Interior LED lighting
- 3 adjustable safety glass shelves
- Glass shelf above vegetable / fruit drawers
- Shelf for bottles
- 2 drawers for vegetables and fruits
- Enclosed compartment for cheese
- 2 small adjustable door trays
- 2 universal adjustable door trays
- Deep tray for bottles with protection from falling out
- Eggs tray (6 pc.)

Electronic control system :

- Defrosting - Auto
- Pull-out drawer for small frozen products
- Pull-out FAST FREEZE drawer
- 2 pull-out drawers for frozen products
- Colors: Inox, Inox look

KFF195X & KFF195SL

FRIDGE - FREEZER WITH ELECTRONIC CONTROL SYSTEM A+

Features :

- Dimensions: 194,5x60x62 Cm
- Fridge Net Capacity: 233 L
- Freezer Net Capacity: 88 L
- Energy Class: A+
- Colour: White, Inox, Grey Metallic, Black, Red, Beige.
- Total Gross Capacity 338 L
- Energy Consumption In 24 Hours 0,717 Kwh
- Climate Class N
- Temperature In The Refrigerator Compartment From 0 °C To +8 °C
- Temperature Is Regulated On The Scale Of Seven Digits
- Temperature In The Freezer -18 °C And Lower
- Freezing Capacity 12 Kg / 24 H
- Storage Time If Power Cut 20 H
- Reversible Doors
- Noise Level 41 Db(A)



Freezer Compartment :

- Defrosting - Auto
- Pull-Out Drawer For Small Frozen Products
- Pull-Out Fast Freeze Drawer
- 2 Pull-Out Drawers For Frozen Products
- Colors: Inox, Inox Look

Refrigerator Compartment :

- Anti-Bacterial Protection System
- Auto Defrost System
- Interior Led Lighting
- 3 Adjustable Safety Glass Shelves
- Glass Shelf Above Vegetable / Fruit Drawers
- Shelf For Bottles
- 2 Drawers For Vegetables And Fruits
- Enclosed Compartment For Cheese
- 2 Small Adjustable Door Trays
- 2 Universal Adjustable Door Trays
- Deep Tray For Bottles With Protection From Falling Out
- Eggs Tray (6 Pc.)

Integrated



KIFF600

- Energy class: A+
- Dimensions of the product (WxHxD): 54 x 177.5 x 54.5 cm
- Colour: White
- Door opening: Reversible door opening
- Door hinge: Sliding door hinge
- Door material: Steel sheet
- Climate class: SN, ST, N
- NoFrost
- FastFreeze
- Programme Eco
- Type of interior light: LED
- 5 glass shelves
- 2 glass slide shelves
- 2 divisible glass shelves
- Bottle holder
- Dairy shelf
- Bottle shelf with fixed trap
- Flexible egg tray (12x)
- 2 vegetable drawers

KUF600

- Energy Class: A+
- (WxHxD): 595 X 818X 548 mm
- Colour: White
- Door Opening: Reversible Door Opening
- Door Hinge: Sliding Door Hinge
- Climate Class: Sn (10- 32° C)
- 2 Glass Slide Shelves
- Internal Freezer
- Internal Lighting



Wine Cooler

KW3132GXB

Multi-Temperature Wine Cabinets with 132 Bottles Storage




• Klugmann wine storage cabinet equipped with three temperature wine cooling zones. The temperature in the upper zone can be set to between +5°C and +10°C, in middle zone between +5°C and +12°C and below zone especially for red wine between +10°C and +18°C, making these appliances ideal for long-term storage and the ageing of wine. Flush-integrated led lighting perfectly showcases the wines stored. The cabinet has 6 wood telescopic rails. The cabinet can be loaded with 132 Bordeaux bottles (43 up, 45 in the middle and 44 below).

- Energy efficiency class A
- Control Ic-display
- Number of storage shelves 9 wooden telescopic rails
- Temperature zones 3
- Product dimensions (h/w/d) 1825/ 598 / 685 mm
- Maximum number of 0.75 l Bordeaux bottles 132
- Design stainless steel with glass
- Door reversible
- Noise level 45 d(ba)

KW242IGB

Built-in Wine Cooler with 42 Bottles Storage, Design Stainless Steel with Glass




• Klugmann Wine Storage Cabinets Equipped With Two Temperature Wine Cooling Zones. The Temperature In The Upper Zone Can Be Set To Between +5°C And +10°C And In Below Zone Especially For Red Wine Between +10°C And +18°C, Making These Appliances Ideal For Long-Term Storage And The Ageing Of Wine. Flush-Integrated Led Lighting Perfectly Showcases The Wines Stored. The Cabinet Has 6 Wood Telescopic Rails Can Be Loaded By 42 Bottles (18 Up And 24 Below).

- Energy Efficiency Class A
- Temperature Zones 2
- Product Dimensions (H/W/D) 890 / 598 / 580 Mm
- Maximum Number Of 0.75 L Bordeaux Bottles 42
- Design Stainless Steel With Glass / Black Glass
- Door Reversible In Glass Version

KW246GX

Built-in Wine Cooler with 46 Bottles Storage, Design Stainless Steel with Glass

- ENERGY EFFICIENCY CLASS A
- TEMPERATURE ZONES 2
- PRODUCT DIMENSIONS (H/W/D) 850 / 598 / 580 MM
- MAXIMUM NUMBER OF 0.75 L BORDEAUX BOTTLES 46
- DESIGN STAINLESS STEEL WITH GLASS / Black Glass
- DOOR REVERSIBLE
- NOISE LEVEL 46 D(BA)



KW246GXB

Built-in Wine Cooler with 46 Bottles Storage, Design Stainless Steel with Glass

• Klugmann Wine Storage Cabinets Equipped With Two Temperature Wine Cooling Zones. The Temperature In The Upper Zone Can Be Set To Between +5°C And +10°C And In Below Zone Especially For Red Wine Between +10°C And +18°C, Making These Appliances Ideal For Long-Term Storage And The Ageing Of Wine. Flush-Integrated Led Lighting Perfectly Showcases The Wines Stored. The Cabinet Has 6 Wood Telescopic Rails.

- Energy Efficiency Class A
- Temperature Zones 2
- Product Dimensions (H/W/D) 850 / 598 / 580 Mm
- Maximum Number Of 0.75 L Bordeaux Bottles 46
- Design Stainless Steel With Glass
- Door Reversible
- Noise Level 46 D(Ba)



